

Cleveland Faucet Group®

Full Line Catalog 2009



Delivering real value.



A Moen Incorporated Brand

CFGonline.com



CFGonline.com... an all-new web site that's full of news you can use.

More than just complete, well-organized product information, CFGonline provides downloadable catalogs, spec sheets, price lists and SKU cross-references, as well as a state-by-state "Where To Buy" guide that will identify the CFG resource closest to you. Visit CFGonline to view the latest updates about our newest products in our online "Press Room" or go to the "Literature & Media" section to view a variety of videos that are full of time-saving installation tips. In short, we've designed CFGonline to be an indispensable tool for people who need the right information... now.

cfgonline.com

Full Line Catalog 2009

Table of Contents

Providing quality, style and function.

Table of Contents	1
Introduction to CFG	2-3
Sustainability	4
Water-Saving Products	5

Capstone®

Kitchen	8-9
Bath	10-11
Garden Tub	11
Tub/Shower	12

Cornerstone®

Kitchen	14-15
Bar	15
Laundry	15
Bath	16-17
Garden Tub	17
Tub/Shower	18

Flagstone®

Kitchen	20
Bath	20

Shower Valves At-A-Glance

Reference Chart	21
-----------------	----

Cleveland Faucet Group®

Quality Design. Lasting Durability.

Cleveland Faucet Group is the plumbing partner that delivers real value in faucets and valves, with a strong foundation in design, distribution and service. With CFG®, you have the confidence of working with a solid business partner committed to providing you with the best return on your faucet investment.



Ceramic Disc Technology

Both single-handle and two-handle CFG faucets are made with high-quality ceramic disc cartridges. Ceramic disc cartridges are made from ultra-hard aluminum oxide that stands up to severe temperature changes, water conditions and supply line debris. Ceramic discs are nearly maintenance-free and are very durable in a variety of water conditions.

Customer Service

CFG provides customer service as exceptional as its products, as well as a variety of ways to communicate with us. Online order status and product availability are at CustomerNet.Moen.com.

- To enroll in CustomerNet, call **1-888-450-5829** or e-mail us at contacts@moen.com.

To place an order:

- Phone: **1-888-450-5522**
- Fax: **1-888-379-6270**

10
year
limited warranty

Cornerstone® and Capstone®

CFG warrants to the original consumer or purchaser; for a period of up to ten years from the original date of purchase, that the faucet will be free from defects in materials and manufacturing workmanship.

For complete details, call 1-888-450-5522 or contact your CFG sales representative.

PVD Finishes

Eliminate the maintenance and tarnish issues of a clear-coat finish with our innovative PVD process available on decorative finishes. PVD technology is both robust and versatile, allowing for long-lasting aesthetics in the bath or kitchen.

Dimension Valve Body

CFG has one of the most innovative shower valves on the market today. The versatile valve body was specially designed to hold either volume control or cycling cartridges. A simple switch of the cartridge converts the valve from cycling to volume control. The valve design also provides great flexibility for all your multifamily projects. Installation options are available for thick and thin wall applications, as well as back-to-back applications.

Codes and Compliance

CFG products are third-party-certified to CSA, NSF, ASME/ANSI, IAPMO, ASSE, California Proposition 65, Illinois, Massachusetts and Texas requirements.



All CFG faucets and shower valve controls meet ADA requirements for the physically challenged.



A Moen Incorporated Brand

Easy to Install. Quick to Connect.

The benefits of CFG® products don't stop with strong designs and superb durability. Our faucets are designed to streamline the installation process, to reduce callbacks and to help you build more profit into every project. These cost- and time-reducing features include:



Optional Flexible Supply Lines

Select CFG products come with 24" braided stainless steel supply lines and 3/8" connections that shave time and trouble out of every project. You reduce installation time for each faucet while you reduce the total number of connections made onsite. And those savings go right to your bottom line.

Hydrolock® Quick Connect Technology

Now standard on all kitchen faucets with side sprays, this patented installation system snaps hoses together with a telltale "click," so the installer can be assured the connection is secure. You get easier, faster, leak-free installation with no tools required.

No More Time-Intensive Putty Jobs

On many CFG faucets, Neoprene gaskets on the bottom of the deckplate take the place of plumber's putty to prevent leaks. Result: You save additional time and money, including material costs.

Preinstalled Shower Valve Connections

CFG shower valves are available with a variety of pipe-fitting connections. In addition, we've preinstalled these connections so you don't have to do it onsite. This reduces installation time and saves you money.



Committing to our environment. Cleveland Faucet Group® is determined to be an industry leader for outstanding sustainability practices in both products offered and business processes employed. CFG® offers a complete line of water-saving solutions that include lavatory, showering and kitchen products.



Water-Saving Products from CFG®

Cleveland Faucet Group is pleased to offer a host of water-efficient products. These designs reduce water consumption, energy costs and sewer bills, with the added benefit of contributing towards maximizing LEED® points – more ways CFG delivers long-term value and exceptional return on investment to the multifamily market.

BATH



Lavatory Faucets

As of January 1, 2009, all lavatory faucets will be manufactured with a 1.5 gpm aerator. The packaging label will clearly display the WaterSense® logo and the 1.5 gpm flow rate.*

- use up to 30% less water
- certified to meet WaterSense® labeling criteria

* If the product you receive does not have the qualifying label markings, a 1.5 gpm replacement aerator can be ordered by calling 1-888-450-5522.

SHOWER



Water-Saving Showerheads

- 1.75 gpm
- IAPMO Green listed
- use up to 30% less water
- rubber spray formers are easy to clean; simply wipe off any hard mineral deposits
- order as a stand-alone item or as an option on all Capstone® and Cornerstone® trim kits
- Available in Chrome and Brushed Nickel



Flow-Optimized Aerator Kits

- 1.5 gpm
- use up to 30% less water
- easy, low cost retrofit to any existing faucet

KITCHEN



Kitchen Faucet Service Kits

Available for all kitchen faucets, the flow-optimized aerator kits use up to 30% less water and are an easy, low-cost retrofit option.



3 Styles to Fit All of Your Customers' Needs.



Capstone®

Pages 7–12

A traditional style available in Chrome and Brushed Nickel finishes. Capstone offers stylish faucets for both the kitchen and bath, and is backed by a ten-year limited warranty.



Cornerstone®

Pages 13–18

A reliable line with the most durable design featuring quick installation. Backed by a ten-year limited warranty. The extensive line of products is available in single-handle and two-handle styles, in both Chrome and Brushed Nickel.



Flagstone®

Pages 19–20

Delivers classic style and high quality at the best price. Flagstone products are available in single-handle and two-handle styles. One-year limited warranty.

Capstone®

10
year
limited warranty

Customer-Preferred Traditional Style.

The best CFG® products for a coordinated, customer-preferred style presentation for the kitchen and bath. Capstone® offers finish options and feature upgrades, and is backed with our ten-year limited warranty.



Kitchen

Capstone®

10
year
limited warranty



Chrome



SL/Stainless*



Kitchen Faucets



Single-Handle



with pullout spout
40519
40519SL

High Arc Two-Handle



41611
41611SL



with matching side spray
41613
41613SL



Bath

Capstone®

10
year
limited warranty



Chrome



BN/Brushed Nickel*

Bath Faucets

Capstone®

Two-Handle



with 50/50 waste assembly
41211†
41211BN†



without waste assembly
41213†
41213BN†

Garden Tub Trim



garden tub trim kit
T41411**
T41411BN**



†All Capstone lavatory faucets feature a flow-optimized aerator, using 30% less water without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute towards maximizing LEED® points.

**Requires rough-in valve 45801. See CFG147 price catalog for details.

California AB1953 and Vermont S152 compliant products available; please see the CFG147 price catalog.

Tub/Shower Trim

Capstone®

Volume Control Trim



valve only
lever handle trim kit
for use with pressure-
balancing volume
control valves
T41316V*
T41316VBN*

Cycling Trim



shower only
lever handle trim kit
for use with pressure-
balancing cycling valves
T41315C*
T41315CBN*



tub/shower
lever handle trim kit
for use with pressure-
balancing cycling valves
slip-fit tub spout
T41311C*
T41311CBN*



Remodel Cover Plate



For use when updating
2- or 3-handle tub/
shower faucets to
single-handle
40913
40913BN

Water-Saving Showering Products



water-saving showerhead
42018GR
42018BNGR



water-saving showerhead arm & flange
42916GR
42916BNGR



shower only trim (cycling)
with water-saving showerhead
T41315CGR*
T41315CBNGR*



tub/shower trim (cycling)
with water-saving showerhead
T4311CGR*
T41311CBNGR*



CFG® water-saving showering products are IAPMO Green certified to reduce water consumption by at least 20% when compared to standard flow rates.

*Requires rough-in valve.
See page 21 for appropriate model number.

Cornerstone®

10
year
limited warranty

Created for the Rigorous Demands of Everyday Living.

Our best value proposition for renovation and replacement projects, with optional quick-install supply lines for fast installations and maximum return on investment. We support Cornerstone® with our ten-year limited warranty.



Cornerstone®

10
year
limited warranty



Chrome



Glacier*



SL/Stainless**



Flexible Supplies

Single-handle Cornerstone faucets have optional 24" braided stainless steel supply lines, preinstalled with a 3/8" connection. A significant labor cost savings!

Kitchen Faucets

Cornerstone®

Single-Handle



40511
40511SL

Flexible Supplies

40512
40512SL

with white side spray
40513

with black side spray
40513B

with matching side spray
40513SL

Flexible Supplies

with white side spray
40514



with white side spray
40523



with white side spray
in deckplate
40515

Laundry Faucet

Two-Handle



40812

Two-Handle



40611



with white side spray
40613

Bar Faucet

Two-Handle



lever handles
40811



wing handles
40813

Cornerstone®

10^{year}
limited warranty



Chrome



BN/Brushed
Nickel*



Flexible Supplies

Single-handle Cornerstone faucets have optional 24" braided stainless steel supply lines, preinstalled with a 3/8" connection. A significant labor cost savings!

Bath Faucets

Cornerstone®

Single-Handle



with metal waste assembly
17 gauge brass
40710†

Flexible Supplies
with metal waste assembly
17 gauge brass
40718†



with 50/50 waste assembly
40711†
40711BN†

Flexible Supplies
with 50/50 waste assembly
40712†
40712BN†



without waste assembly
40717†
40717BN†

Two-Handle



with metal waste assembly
with 17 gauge brass
40210†

with 50/50 waste assembly
40211†



without waste assembly
40213†

Garden Tub Trim



garden tub trim kit
40411**

**Requires rough-in valve 45801.
See CFG147 price catalog for details.



†All Cornerstone lavatory faucets feature a flow-optimized aerator; using 30% less water without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute towards maximizing LEED® points.

Tub/Shower Trim

Cornerstone®

10
year
limited warranty

Volume Control Trim



valve only
lever handle trim kit
for use with pressure-
balancing volume
control valves
40316V*
40316VBN*



shower only
lever handle trim kit
for use with pressure-
balancing volume
control valves
40315V*
40315VBN*



tub/shower
lever handle trim kit
for use with pressure-
balancing volume
control valves
slip-fit tub spout
40311V*
40311VBN*

tub/shower
lever handle trim kit
for use with pressure-
balancing volume
control valves
IPS tub spout
40314V*

Remodel Cover Plate



For use when updating
2- or 3-handle tub/
shower faucets to
single-handle
40913
40913BN

*Requires rough-in valve.
See page 21 for appropriate model number.



All Cleveland Faucet Group® products are ADA-compliant.

Cycling Trim



valve only
lever handle trim kit for use with
pressure-balancing cycling valves
40316C*
40316CBN*



shower only
lever handle trim kit for use with
pressure-balancing cycling valves
40315C*
40315CBN*



tub/shower lever handle trim kit
for use with pressure-balancing
cycling valves
slip-fit tub spout
40311C* / 40311CBN*

tub/shower lever handle trim kit
for use with pressure-balancing
cycling valves
IPS tub spout
40314C*

Water-Saving Showering Products



water-saving showerhead
42018GR
42018BNGR

water-saving showerhead arm
& flange
42916GR
42916BNGR



shower only trim kit (cycling)
with water-saving showerhead
40315CGR*
40315CBNGR*

shower only trim kit (volume control)
with water-saving showerhead
40315VGR*
40315VBNGR*



tub/shower trim kit (cycling)
with water-saving showerhead
40311CGR*
40311CBNGR*

tub/shower trim kit (volume control)
with water-saving
showerhead
40311VGR*
40311VBNGR*



CFG® water-saving showering products are IAPMO
Green certified to reduce water consumption by at
least 20% when compared to standard flow rates.

Flagstone[®]

1
year
limited warranty

Classic Style Backed with
a One-Year Warranty.

A classic look available in single-handle and two-handle styles.



Kitchen/Bath Faucets



1
year
limited warranty



Kitchen Faucets

Single-Handle



47511



with black
side spray
47513B

with white
side spray
47513

Two-Handle



47611



with white
side spray
47613



Bath Faucets

Single-Handle



with 50/50 waste assembly
47711L†

without waste assembly
47713L†

Two-Handle



with 50/50 waste assembly
47211†

without waste assembly
47212†



†All Flagstone lavatory faucets feature a flow-optimized aerator; using 30% less water without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute towards maximizing LEED® points.



Shower Valves At-A-Glance

All CFG shower valves feature pressure-balancing ceramic disk cartridges with temperature limit stops.

Cycling Valves (with back-to-back installation capability)



MODEL NO.	45311	45312	45317	45318
Inlet Connection Type	Male IPS/CC	Male IPS/CC	Female IPS	Female IPS
Shutoff Stops?	Yes	No	Yes	No



MODEL NO.	45319	45320	45321	45322
Inlet Connection Type	PEX	PEX	CPVC	CPVC
Shutoff Stops?	No	Yes	Yes	No

Volume Control Valves



MODEL NO.	45511	45512	45514
Inlet Connection Type	Male IPS/CC	Male IPS/CC	PEX
Shutoff Stops?	Yes	No	No
Tub Outlet	1/2" Male IPS/CC	1/2" Male IPS/CC	Brass Plug



MODEL NO.	45513	45515
Inlet Connection Type	PEX	PEX
Shutoff Stops?	No	No
Tub Outlet	8" x 7" Copper Tube	5" x 7" Copper Tube



Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Contact Moen Incorporated at the locations listed below for further information.

Moen reserves the right to make product specification changes from time to time, without notice or obligation, and to change or discontinue models.

Capstone, CFG, Cleveland Faucet Group, Cornerstone and Flagstone are Registered Trademarks of Moen Incorporated.

® Hydrolock is a Registered Trademark of Cooper Standard Automotive.

© 2009 Moen Incorporated. All rights reserved.

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive
North Olmsted, OH 44070-8022
1-800-BUY-MOEN

Canada Headquarters:
Moen Inc.
2816 Bristol Circle
Oakville, Ontario L6H 5S7
1-800-465-6130

